

4G LTE RADIOCAM

TOKIE not only ensures you the best network access but also protects and future-proofs your communications investment with unmatched network-related benefits.

- Ruggedized Device
- Push-to-talk over WIFI, 2G, 3G, 4G LTE
- 5,000mAh Large Capacity Battery
- Gloves Touch Screen Capable
- Ruggedised Design with IP67 Rating
- Support 1080p Video Recording
- Support external speaker, earphone, UART, USB 2.0 & OTG



IP67

Size: 120 x 60 x 28.5 (mm)

TOKIE



| Feature | Description |
|----------------------------------|--|
| Operating System | TOKIE customize Android 8.1 Oreo |
| Hardware Platform | Quad-Core A53 1.5GHz 64bit |
| Network Type | Support 2G, 3G (WCDMA, TD-SCDMA,), 4G (FDD LTE/TDD LTE) |
| Memory | 3GB RAM + 32GB ROM |
| Display | Corning® Gorilla® Glass 3, TFT 3.1"IPS, 800 x 480 |
| GPS | GPS, GLONASS & AGPS, dual-mode positioning |
| WiFi | 802.11 a/b/g/n, 2.4G/5G |
| Bluetooth | BT4.0 |
| Sensor | Acceleration, Proximity, Light, Gyroscope, Magnetic, NFC |
| USB Interface | Micro USB 2.0, support OTG |
| SIM Card | NANO-SIM single card |
| Encoding / Decoding Capabilities | H.264/H.265 high profile, 1080P/720P/VGA/480i 30FPS |
| Speaker | 36mm ϕ 2.0W @ 90dB |
| Microphone | Sensitivity -38dB \pm 1.5 |
| Front Camera | 2 million pixels camera |
| Wide-angle Camera | 5 million pixels camera, 140.7° |
| Video Quality | Support 1080P video recording |
| Indicator LED | Single 3-colors LED |
| M6 | Support External Speaker, Mic, Earphone, UART |
| Working Environment | Temperature -20 °C - 60 °C, humidity 20% - 90% |
| Degree of Protection | IP67, water & dust resistance, anti-drop 2.0 meters |
| Weight | 260g, with battery |
| Battery Capacity | 5,000mAh, replaceable |
| Working Time | Continuous 12 hours recording |
| Size | 120mm x 60mm x 28.5mm |

IRVEES TECHNOLOGY PTE LTD

3B Hamilton Road, Singapore 209176

ask@irvees.com